
US ERA ARCHIVE DOCUMENT

STATISTICAL ANALYSIS OF GROUNDWATER MONITORING DATA AT RCRA FACILITIES UNIFIED GUIDANCE MARCH 2009

EPA 530/R-09-007



ENVIRONMENTAL PROTECTION AGENCY OFFICE OF RESOURCE CONSERVATION AND RECOVERY





STATISTICAL ANALYSIS OF GROUNDWATER MONITORING DATA AT RCRA FACILITIES

Unified Guidance

OFFICE OF RESOURCE CONSERVATION AND RECOVERY
PROGRAM IMPLEMENTATION AND INFORMATION DIVISION
U.S. ENVIRONMENTAL PROTECTION AGENCY

MARCH 2009



This page intentionally left blank

DISCLAIMER

This Unified Guidance has been prepared to assist EPA's Regions, the States and the regulated community in testing and evaluating groundwater monitoring data under 40 CFR Parts 264 and 265 and 40 CFR Part 258. This guidance is not a rule, is not legally enforceable, and does not confer legal rights or impose legal obligations on any member of the public, EPA, the States or any other agency. While EPA has made every effort to ensure the accuracy of the discussion in this guidance, the obligations of the regulated community are determined by the relevant statutes, regulations, or other legally binding requirements. The use of the term "should" when used in this guidance does not connote a requirement. This guidance may not apply in a particular situation based on the circumstances. Regional and State personnel retain the discretion to adopt approaches on a case-by-case basis that differ from this guidance where appropriate.

It should be stressed that this guidance is a work in progress. Given the complicated nature of groundwater and geochemical behavior, statistical applications describing and evaluating data patterns have evolved over time. While many new approaches and a conceptual framework have been provided here based on our understanding at the time of publication, outstanding issues remain. The Unified Guidance sets out mostly classical statistical methods using reasonable interpretations of existing regulatory objectives and constraints. But even these highly developed mathematical models deal primarily with sorting out chance effects from potentially real differences or trends. They do not exhaust the possibilities of groundwater definition using other technical or scientific techniques (e.g., contaminant modeling or geostatistical evaluations). While providing a workable decision framework, the models and approaches offered within the Unified Guidance are only approximations of a complex underlying reality.

While providing a basic understanding of underlying statistical principles, the guidance doesn't attempt to provide the reader with more thorough explanations and derivations found in standard texts and papers. It also doesn't comprehensively cover all potential statistical approaches, and confines itself to reasonable and current methods, which will work in the present RCRA groundwater context. While it is highly likely that methods promoted in this guidance will be applied using commercial or proprietary statistical software, a detailed discussion of software applications is beyond the scope of this document.

This document has been reviewed by the Office of Resource Conservation and Recovery (former Office of Solid Waste), U.S. Environmental Protection Agency, Washington, D.C., and approved for publication. Mention of trade names, commercial products, or publications does not constitute endorsement or recommendation for use.

"It is far better to have an approximate answer to the right question than a precise answer to the wrong question..." — John Hauser

March 2009

ACKNOWLEDGMENTS

EPA's Office of Solid Waste developed initial versions of this document under the direction of James R. Brown and Hugh Davis, Ph.D. of the Permits and State Programs Division. The final draft was developed and edited under the direction of Mike Gansecki, EPA Region 8. The guidance was prepared by Kirk M. Cameron, Ph.D., Statistical Scientist and President of MacStat Consulting, Ltd. in Colorado Springs, Colorado. It also incorporates the substantial efforts on the 1989 Interim Final Guidance of Jerry Flora, Ph.D. and Ms. Karen Bauer, both — at the time — of Midwest Research Institute in Kansas City, Missouri. Science Applications International Corporation (SAIC) provided technical support in developing this document under EPA Contract No. EP-WO-5060.

EPA also wishes to acknowledge the time and effort spent in reviewing and improving the document by a workgroup composed of statisticians, Regional and State personnel, and industry representatives — Dr. Robert Gibbons, Dr. Charles Davis, Sarah Hession, Dale Bridgford, Mike Beal, Katie Crowell, Bob Stewart, Charlotte Campbell, Evan Englund, Jeff Johnson, Mary Beck, John Baker and Dave Burt. We also wish to acknowledge the excellent comments by a number of state, EPA Regional and industry parties on the September 2004 draft. Finally, we gratefully acknowledge the detailed reviews, critiques and comments of Dr. Dennis Helsel of the US Geologic Survey, Dr. James Loftis of Colorado State University, and Dr. William Huber of Quantitative Decisions Inc., who provided formal peer reviews of the September 2004 draft.

A special note of thanks is due to Dave Bartenfelder and Ken Lovelace of the EPA CERCLA program, without whose assistance this document would not have been completed.

ii March 2009

EXECUTIVE SUMMARY

The Unified Guidance provides a suggested framework and recommendations for the statistical analysis of groundwater monitoring data at RCRA facility units subject to 40 CFR Parts 264 and 265 and 40 CFR Part 258, to determine whether groundwater has been impacted by a hazardous constituent release. Specific statistical methods are identified in the RCRA regulations, but their application is not described in any detail. The Unified Guidance provides examples and background information that will aid in successfully conducting the required statistical analyses. The Unified Guidance draws upon the experience gained in the last decade in implementing the RCRA Subtitle C and D groundwater monitoring programs and new research that has emerged since earlier Agency guidance.

The guidance is primarily oriented towards the groundwater monitoring statistical analysis provisions of 40 CFR Parts 264.90 to .100. Similar requirements for groundwater monitoring at solid waste landfill facilities under 40 CFR Part 258 are also addressed. These regulations govern the detection, characterization and response to releases from regulated units into the uppermost aquifer. Some of the methods and strategies set out in this guidance may also be appropriate for analysis of groundwater monitoring data from solid waste management units subject to 40 CFR 264.101. Although the focus of this guidance is to address the RCRA regulations, it can be used by the CERCLA program and for improving remedial actions at other groundwater monitoring programs.

Part I of the Unified Guidance introduces the context for statistical testing at RCRA facilities. It provides an *overview of the regulatory requirements*, summarizing the current RCRA Subtitle C and D regulations and outlining the statistical methods in the final rules, as well as key regulatory sections affecting statistical decisions. It explains the basic groundwater monitoring framework, philosophy and intent of each stage of monitoring — detection, compliance (or assessment), and corrective action — and certain features common to the groundwater monitoring environment. Underlying statistical ideas common to all statistical test procedures are identified, particularly issues involving false positives arising from multiple statistical comparisons and statistical power to detect contamination.

A new component of the Unified Guidance addresses issues of *statistical design*: what factors are important in constructing a reasonable and effective statistical monitoring program. These include the establishment and updating of background data, designing an acceptable detection monitoring plan, and statistical strategies for compliance/assessment monitoring and corrective action. This part also includes a short summary of statistical methods recommended in the Unified Guidance, detailing conditions for their appropriate use.

Part II of the Unified Guidance covers diagnostic evaluations of historical facility data for the purpose of *checking key assumptions* implicit in the recommended statistical tests and *for making appropriate adjustments to the data* (e.g., consideration of outliers, seasonal autocorrelation, or non-detects). Also included is a discussion of groundwater sampling and how hydrologic factors such as flow and gradient can impact the sampling program. Concepts of statistical and physical independence are compared, with caveats provided regarding the impact of dependent data on statistical test results. Statistical methods are suggested for identifying special kinds of dependence known as spatial and temporal variation, including reasonable approaches when these dependencies are observed. Tests for trends are also included in this part.

iii March 2009

Part III of the Unified Guidance presents a range of *detection monitoring* statistical procedures. First, there is a discussion of the Student's *t*-test and its non-parametric counterpart, the Wilcoxon ranksum test, when comparing two groups of data (*e.g.*, background versus one downgradient well). This part defines both parametric and non-parametric prediction limits, and their application to groundwater analysis when multiple comparisons are involved. A variety of prediction limit possibilities are presented to cover likely interpretations of sampling and testing requirements under the RCRA regulations.

Substantial detailed guidance is offered for using prediction limits with retesting procedures, and how various retesting algorithms might be constructed. The final chapter of this Part considers another statistical method especially useful for *intrawell* comparisons, namely the Shewhart-CUSUM control chart. A brief discussion of analysis of variance [ANOVA] and tolerance limit tests identified in the RCRA regulations is also provided.

Part IV of the Unified Guidance is devoted to statistical methods recommended for *compliance* or *assessment monitoring* and *corrective action*. Compliance monitoring typically involves a comparison of downgradient well data to a groundwater protection standard [GWPS], which may be a limit derived from background or a fixed concentration limit (such as in 40 CFR 264.94 Table 1, an MCL, a risk-based limit, an alternate concentration limit, or a defined clean-up standard under corrective action). The key statistical procedure is the confidence interval, and several confidence interval tests (mean, median, or upper percentile) may be appropriate for compliance evaluation depending on the circumstances. The choice depends on the distribution of the data, frequency of non-detects, the type of standard being compared, and whether or not the data exhibit a significant trend. Discussions in this part consider fixed compliance standards used in a variety of EPA programs and what they might represent in statistical terms. Strategies for corrective action differ from those appropriate for compliance monitoring primarily because statistical hypotheses are changed, although the same basic statistical methods may be employed.

Since some programs will also utilize background as standards for compliance and corrective action monitoring, those tests and discussions under **Part III** detection monitoring (including statistical design in **Part I**) may pertain in identifying the appropriate standards and tests.

A *glossary* of important statistical terms, *references* and a subject *index* are provided at the end of the main text. The *Appendices* contain additional notes on a number of topics including previous guidance, a special study for the guidance, more detailed statistical power discussions, and an extensive set of *statistical tables* for implementing the methods outlined in the Unified Guidance. Some tables, especially those for prediction limit retesting procedures, have been extended within the Unified Guidance beyond published sources in order to cover a wider variety of plausible scenarios.

iv March 2009

TABLE OF CONTENTS

DISCLAIMERACKNOWLEDGMENTSEXECUTIVE SUMMARYTABLE OF CONTENTS	ii iii
PART I. STATISTICAL DESIGN AND PHILOSOPHY	
CHAPTER 1. OBJECTIVES AND POTENTIAL USE OF THIS GUIDANCE	
1.1 Objectives	
CHAPTER 2. REGULATORY OVERVIEW	
2.1 REGULATORY SUMMARY 2.2 SPECIFIC REGULATORY FEATURES AND STATISTICAL ISSUES 2.2.1 Statistical Methods Identified under §264.97(h) and §258.53(g) 2.2.2 Performance Standards under §264.97(i) and §258.53(h) 2.2.3 Hypothesis Tests in Detection, Compliance and Corrective Action Monitoring 2.2.4 Sampling Frequency Requirements 2.2.5 Groundwater Protection Standards 2.3 UNIFIED GUIDANCE RECOMMENDATIONS 2.3.1 Interim Status Monitoring 2.3.2 Parts 264 and 258 Detection Monitoring Methods 2.3.3 Parts 264 and 258 Compliance/assessment Monitoring	2-6 2-6 2-10 2-10 2-12 2-13 2-13 2-14
CHAPTER 3. KEY STATISTICAL CONCEPTS 3.1 INTRODUCTION TO GROUNDWATER STATISTICS	3-4 3-4 3-5 3-7 3-9 3-12 3-14 3-16 3-18
ANALYSIS	
4.1 THE GROUNDWATER MONITORING CONTEXT	

	AL SIGNIFICANCE IN GROUNDWATER TESTING	
	tistical Factors	
4.3.2 We	Il System Design and Sampling Factors	4-8
	drological Factors	
	ochemical Factors	
4.3.5 Ana	alytical Factors	4-10
	ta or Analytic Errors	
CHAPTER 5.	ESTABLISHING AND UPDATING BACKGROUND	
5.1 IMPORTAN	CE OF BACKGROUND	5-1
5.1.1 Tra	cking Natural Groundwater Conditions	5-2
5.2 ESTABLISH	IING AND REVIEWING BACKGROUND	5-2
	ecting Monitoring Constituents and Adequate Sample Sizes	
	sic Assumptions About Background	
	tliers in Background	
	pact of Spatial Variability	
	nds in Background	
	mmary: Expanding Background Sample Sizes	
	view of Background	
	BACKGROUND	
	en to Update	
	v to Update	
	pact of Retesting	
	dating When Trends are Apparent	
CHAPTER 6.	DETECTION MONITORING PROGRAM DESIGN	
6.1 Introduc	TION	6-1
	of the Statistical Program Design	
	Multiple Comparisons Problem	
	e-Wide False Positive Rates [SWFPR]	
	commendations for Statistical Power	
	ect Sizes and Data-Based Power Curves	
	es Using More Than One Statistical Method	
	ASSUMPTIONS IMPACT STATISTICAL DESIGN	
	tistical Independence	
	atial Variation: Interwell vs. Intrawell Testing	
	tliers	
	n-Detects	
	G DETECTION MONITORING TESTS	
	ests	
	alysis Of Variance [ANOVA]	
	nd Tests	
	tistical Intervals	
	ntrol Charts	
	SIGN EXAMPLES	
J.S JITE DES		40

CHAPTER 7.

CORRECTIVE ACTION 7.4.1 False Positives and Statistical Power in Compliance/Assessment.......7-9 7.4.3 Recommended Strategies......7-13 7.4.4 Accounting for Shifts and Trends......7-14 7.4.5 Impact of Sample Variability, Non-Detects, And Non-Normal Data......7-17 CHAPTER 8. SUMMARY OF RECOMMENDED METHODS PART II. DIAGNOSTIC METHODS AND TESTING CHAPTER 9. COMMON EXPLORATORY TOOLS 9.4 Scatter Plots.......9-13 9.5 Probability Plots.......9-16 FITTING DISTRIBUTIONS CHAPTER 10. 10.5 Shapiro-Wilk and Shapiro-Francía normality Tests....... 10-13 10.5.1 Shapiro-Wilk Test (n ≤ 50)......10-13 TESTING EQUALITY OF VARIANCE CHAPTER 11.

STRATEGIES FOR COMPLIANCE/ASSESSMENT MONITORING AND

CHAPTER 12.	IDENTIFYING OUTLIERS	
12.2 Screening \\ 12.3 Dixon's Tes	WITH PROBABILITY PLOTSWITH BOX PLOTSSTST	12-5 . 12-8
CHAPTER 13.	SPATIAL VARIABILITY	
13.2 IDENTIFYING 13.2.1 Side- 13.2.2 One- 13.3 USING ANO	ON TO SPATIAL VARIATION SPATIAL VARIABILITY by-Side Box Plots Way Analysis of Variance for Spatial Variability VA TO IMPROVE PARAMETRIC INTRAWELL TESTS TEMPORAL VARIABILITY	. 13-2 <i>13-2</i> 13-5
14.2 IDENTIFYING 14.2.1 Paral 14.2.2 One- 14.2.3 Samp 14.2.4 Rank 14.3 CORRECTING 14.3.1 Adjus 14.3.2 Choo	PEPENDENCE	. 14-3 14-6 14-16 14-16 14-18 14-18 14-19 14-28
CHAPTER 15.	MANAGING NON-DETECT DATA	
15.2 IMPUTING NO 15.3 ESTIMATION 15.4 ROBUST REG 15.5 OTHER METH 15.5.1 COI 15.5.2 Par	NSIDERATIONS FOR NON-DETECT DATA	15-3 15-7 15-13 15-21 <i>15-21</i> . <i>15-23</i>
PA	RT III. DETECTION MONITORING TESTS	
CHAPTER 16.	TWO-SAMPLE TESTS	
16.1.1 Poole 16.1.2 Welci 16.1.3 Welci 16.2 Wilcoxon F	T-Tests	. 16-4 . 16-7 .16-10 16-14

CHAPTER 17. ANOVA, TOLERANCE LIMITS, AND TREND TESTS	
17.1 Analysis Of Variance [ANOVA]	
CHAPTER 18. PREDICTION LIMIT PRIMER	
18.1 Introduction to Prediction Limits	
CHAPTER 19. PREDICTION LIMIT STRATEGIES WITH RETESTING	
19.1 Retesting Strategies 19.2 Computing Site-Wide False Positive Rates [SWFPR]. 19.2.1 Basic Subdivision Principle 19.3 Parametric Prediction Limits with Retesting. 19.3.1 Testing Individual Future Values 19.3.2 Testing Future Means 19.4 Non-Parametric Prediction Limits with retesting 19.4.1 Testing Individual Future Values 19.4.2 Testing Future Medians	
CHAPTER 20. MULTIPLE COMPARISONS USING CONTROL CHARTS	
20.1 Introduction to control charts	

PART IV. COMPLIANCE/ASSESSMENT AND CORRECTIVE ACTION TESTS

CHAPTER 21.	CONFIDENCE INTERVALS

21.1 Parameti	RIC CONFIDENCE INTERVALS	21-1
21.1.1 Co	nfidence Interval Around a Normal Mean	21-3
	nfidence interval Around a Lognormal Geometric Mean	
21.1.3 Co	nfidence Interval Around a Lognormal Arithmetic Mean	21-8
21.1.4 Co	nfidence Interval Around an Upper Percentile	21-11
	AMETRIC CONFIDENCE INTERVALS	
	ICE INTERVALS AROUND TREND LINES	
	rametric Confidence Band Around Linear Regression	
	n-Parametric Confidence Band Around a Theil-Sen Line	
CHAPTER 22.	COMPLIANCE/ASSESSMENT AND CORRECTIVE ACT	
	ICE INTERVAL TESTS FOR MEANS	
	e-Specifying Power In Compliance/Assessment e-Specifying False Positive Rates in Corrective Action	
	ice Interval Tests For Upper Percentiles	
	per Percentile Tests in Compliance/Assessment	
	per Percentile Tests in Corrective Action	
•		

APPENDICES¹

- A.1 REFERENCES
- A.2 GLOSSARY
- A.3 INDEX
- B HISTORICAL NOTES
- C.1 SPECIAL STUDY: NORMAL VS. LOGNORMAL PREDICTION LIMITS
- C.2 CALCULATING STATISTICAL POWER
- C.3 R SCRIPTS
- D STATISTICAL TABLES

x March 2009

¹ The full table of contents for Appendices A through D is found at the beginning of the Appendices